





STYLE NUMBERS

MANUFACTURER/MODEL	BARREL LENGTH	67-800	68-100 68-200	1060	1060	1081	1082	1085 1086 1087	1089	1085H 1091H 22 Cal Only	1090	1091 1092 1093	1095	1100	1210	1285	1300	2200 2300 2400	2500	2800	4500	4800	4900	5000	5100	5200	5300	5700
<b>EAA AUTOS</b>																												
Witness	4 1/2"														6	2	6	13										
Witness Compact	3 1/2"														13	1	13	13										
<b>EAA REVOLVERS</b>																												
Small Bore Bounty Hunter	4 3/4"			F12	45					45				16														
Small Bore Bounty Hunter	6 3/4"			F13	45					45				60	9			9			9							
Large Bore Bounty Hunter	4 1/2"			F2	40	40	60	40	40		40	41"	40	9				9			9							
Large Bore Bounty Hunter	7 1/2"			F8	50	50	80	50	50			50	28	10				10			10							
<b>EMF REVOLVERS</b>																												
Hartford Pinkerton	4"			F2							40																	
Hartford Six Shooter	4 3/4"			F2	40	40	60	40	40		40	40	40	8				8			8							
Hartford Six Shooter	5 1/2"			F2	40	40	60	40	48			41"	16	9				9			9							
Hartford Six Shooter	7 1/2"			F8	50	50	80	50	50			50	28	10				10			10							
Hartford Express	4 3/4"			F2	40	40	60	40	40		40	40	40	8				8			8							
Hartford Express	5 1/2"			F2	40	40	60	40	48			41"	16	9				9			9							
Dakota SAA	4 3/4"			F2	40	40	60	40	40		40	40	40	8				8			8							
Dakota SAA	5 1/2"			F2	40	40	60	40	48			41"	16	9				9			9							
Dakota SAA	7 1/2"			F8	50	50	80	50	50			50	28	10				10			10							
<b>FREEDOM ARMS REVOLVERS</b>																												
455 Casull, Mod 455	4 3/4"													76	3			3			3							
455 Casull, Mod 455	6"													77	4			4			4							
455 Casull, Mod 455	7 1/2"													50	5			5			5							
Mod 353	6"													77	4			4			4							
Mod 353	7 1/2"													50	5			5			5							
<b>GLOCK</b>																												
Mod 17	4 1/2"													62	13		13	13		5		1	1	1	1	1	1	1
Mod 19	4"														13		13	13				2	2	2	2	2	2	2
Mod 20	4 1/2"														13		13	13		9		3	3	3	3	3	3	3
Mod 21	4 1/2"														13		13	13		9		3	3	3	3	3	3	3
Mod 22	4 1/2"														13		13	13		5		1	1	1	1	1	1	1
Mod 23	4"														13		13	13				2	2	2	2	2	2	2
Mod 26, 27	3 1/2"														13		13	13						28		28		
Mod 29, 30	3 1/2"														13		13	13				4	4	4	4	4	4	4
Mod 31,32	3 1/2"														13		13	13										
Mod 34,35	5"														6			6			6							
<b>HERITAGE MANUFACTURING</b>																												
Rough Rider	2"													8														
Rough Rider	3"													8														
Rough Rider	4"			F1	45	40	60			45	40			45	8			8			8							
Rough Rider	6 1/2"			F5	45	48	70			45				52	9			9			9							
Rough Rider	9"				67					67																		
<b>H &amp; K</b>																												
USP 45	4 1/4"														13	1	13	13		28		11	11	11	11		11	11
USP 40, 9mm	4 1/4"														13	1	13	13		27		10	10	10	10		10	10
USP Compact 40, 9mm	3 1/2"														13	1	13	13				8	8	8	8		8	8
USP Compact 45	3 1/2"														13	1	13	13				9	9	9	9		9	9
<b>HIGH POINT</b>																												
.45 ACP	4 1/2"														13	1		13										
9MM	3 1/2"														13	1		13										
.380 ACP	3 1/2"														13	1		13										
<b>INTERARMS</b>																												
Firestar, Firestar +, Ultrastar	3 1/2"															1												
Virginian Dragoon	6"		9	F3	40	48	48	50	40			50	48	9				9			9							
Virginian Dragoon	7 1/2"		10	F8	40	50	50	50	50			50	50	10				10			10							



STYLE NUMBERS

MANUFACTURER/MODEL	BARREL LENGTH	67-800	68-100 68-200	1060	1080	1081	1082	1085 1086 1087 1088	1089	1085H 1091H 22 Cal Only	1090	1091 1092 1093 1095	1100	1210	1285	1300	2200 2300 2400	2500	2600	4500	4800	4900	5000	5100	5200	5300	5700
P14, P15, P16	5"												92	6	2	6	6			6	6	6	6	6	6	6	6
<b>ROSSI REVOLVERS</b>																											
All Double Action	2"												7	1		1	1				1						
All Double Action	3"												8	1		1	1				1						
All Double Action	4"													3		3	3				3						
All Double Action	6"		4	F16									9	4			4				4						
<b>RUGER AUTOS</b>																											
Mark I & Mark II	4 3/4"												24	6		6	6				6						
Mark I & Mark II	5 1/4"												25	6		6	6				6						
Mark I & Mark II	6 7/8"												26	7			7				7						
Mark II Bull	5 1/2"												56														
P93, P95	4"												82	13	1	13	13					16	16	16	16	16	16
P89	4"													13	1	13	13					17	17	17	17	17	17
P94, P97	4"													13	1	13	13		29			17	17	17	17	17	17
P90	4"													13	1	13	13										
<b>RUGER REVOLVERS</b>																											
Bearcat	4"			F6	46								46														
Blackhawk	4 5/8"			F2	40	40	40	40	40		40	40	40	8			8				8						
Blackhawk	6 1/2"		9	F3	40	48	48	50	48			50	48	9			9				9						
Blackhawk	7 1/2"		10	F8	50	50	50	50	50			50	50	10			10				10						
Blackhawk	10"			F11									51														
Blackhawk .45	4 5/8"			F2	40	40	40	40	40		40	40	41	8			8				8						
GP-100	4"	N4											85	3		3	3				3						
GP-100	6"	N5	4	F20									84	4			4				4			24			
Redhawk	5 1/2"		4			48	48						86	4			4				4						
Redhawk	7 1/2"		5	F8		50	50						50	5			5				5						
Security Six, Service Six	2 3/4"												11	1		1	1				1						
Single Six	4 5/8"			F1	45	40	40				40		45	8			8				8						
Single Six	5 1/2"		9	F1	45	40	40			45			45	9			9				9						
Single Six	6 1/2"		9	F5	45	48	48			45			52	9			9				9						
Single Six	9 1/2"				67					67			47														
SP-101	3"												36	1		1	1				1						
Speed Six	4"												11	3		3	3				3						
Speed Six	6"													4			4				4						
Super Blackhawk	7 1/2"		10	F8	50	50	50	50	50		50	50	50	10			10				10						
Super Blackhawk	10 1/2"			F11									51-OE														
Super Redhawk	7 1/2"												78														
Super Redhawk	9 1/2"												79														
Super Single Six	5 1/2"		9	F12	45	40	60			45			16	9			9				9						
Super Single Six	6 1/2"		9	F13	45	48	70			45			60	9			9				9						
Super Single Six	9 1/2"				67					67			47														
Vaquero	4 5/8"			F2	40	40	60	40	40		40	40	40	8			8				8						
Vaquero	5 1/2"		9	F2	40	40	60	40	40		41*	41	41	9			9				9						
Vaquero	7 1/2"		10	F8	50	50	80	50	50			50	28	10			10				10						
<b>SIG/SAUER AUTOS</b>																											
P220	4 3/8"												82	13	1		13		14		12	12	12	12	12	12	12
P225	4 1/2"													13	1		13										
P226	4 1/2"												82	13	1		13		14		12	12	12	12	12	12	12
P228	4"													13	1		13										
P229	4"													13	1		13				14	14	14	14	14	14	14
P230	3 1/2"													1	1	1	1			1							
P232	3 1/2"														1						15	15	15		15	15	
P239	3 1/2"													13	1		13				14	14	14	14	14	14	14

STYLE NUMBERS

MANUFACTURER/MODEL	BARREL LENGTH	67-800	68-100	1060	1080	1081	1082	1085 1086 1087	1089	1085H 1091H 22 Cal	1090	1091 1092 1093	1100	1210	1285	1300	2200 2300	2400	2500	2800	4500	4800	4900	5000	5100	5200	5300	5700	
<b>SMITH &amp; WESSON AUTOS</b>																													
Mod 39 & 44	4"												39	6		6	6				6								
Mod 41	5 1/2"												3	6		6	6				6								
Mod 46	5"												3																
Mod 46	7"												4																
Mod 52	5"													6		6	6				6								
Mod 59	4"												39	6		6	6				6								
Mod 422	4 1/2"												5	6		6	6				6								
Mod 439,459,469,639,659,669	4"												39	6	2	6	6				6								
Mod 539	4"													6	2	6	6				6								
Mod 559	4"													6	2	6	6				6								
Mod 645,745	5"													8	2		8				8								
Mod 3904,3906	4"													13	1	13	13												
Mod 3913,3914	3 1/2"													13	1	13	13												
Mod 3953,3954	3 1/2"													13	1	13	13												
Mod 4006	4"													13	1	13	13				31		19	19	19	19	19	19	19
Mod 4013	4"													13	1	13	13						18	18	18	18	18	18	18
Mod 4046	4"													13	1	13	13				30		20	20	20	20	20	20	20
Mod 4506	4"													13	1	13	13						21	21	21	21	21	21	21
Mod 5904,5906	4"													13	1	13	13												
Mod 5944,5946	4"													13	1	13	13												
Mod 6904,6906	3 1/2"													13	1	13	13												
Sigma	4 1/2"													13	1	13	13												
<b>SMITH &amp; WESSON REVOLVERS</b>																													
Mod 10 M&P	2"													29	1		1	1				1							
Mod 10 M&P	4"													30	3		3	3				3							
Mod 10 M&P	6"				F16									18	4			4				4							
Mod 12 M&P	2"													29	1		1	1				1							
Mod 12 M&P	4"													30	3		3	3				3							
Mod 13	4"													30	3		3	3				3							
Mod 14	2-2 1/2"													58															
Mod 14	8 3/8"													27	5			5				5							
Mod 14K-38	6"				F16									10															
Mod 15	2"													58	1		1	1				1							
Mod 15	2-2 1/2"														1		1	1				1							
Mod 15	4"													11	3		3	3				3							
Mod 16	6"				F16									10	4			4				4							
Mod 17	6"				F16									10	4			4				4							
Mod 17	8 3/8"													27	5			5				5							
Mod 18	4"													11	3		3	3				3							
Mod 19	2-2 1/2"													58	1		1	1				1							
Mod 19	4"													11	3		3	3				3							
Mod 19	6"				F16									10	4			4				4							
Mod 20 Heavy Duty	4"													12	3		3	3				3							
Mod 20 Heavy Duty	5"				F18									13	4			4				4							
Mod 20 Heavy Duty	6 1/2"													15	4			4				4							
Mod 21 1950 Military	4"													12	3		3	3				3							
Mod 21 1950 Military	5"				F18									13	4			4				4							
Mod 21 1950 Military	6 1/2"													15	4			4				4							
Mod 22 1950 Army	5 1/2"				F18									14	4			4				4							
Mod 23 Outdoorsman	6 1/2"				F18									15				4				4							
Mod 24 1950 Target	6 1/2"	N5	4	F18										15	4			4				4							
Mod 26 Target	6 1/2"	N5	4	F20										15	4			4				4							
Mod 27	3 1/2"	N4												12	3		3	3				3							
Mod 27	5"	N5		F18										13	4			4				4							

### STYLE NUMBERS

MANUFACTURER/MODEL	BARREL LENGTH	67-800	68-100	1060	1080	1081	1082	1085	1085H	1091	1100	1210	1285	1300	2200	2500	2800	4500	4800	4900	5000	5100	5200	5300	5700
								1086	1091H	1092					2300										
								1087	22 Cal	1093															
Mod 27	6"	N5		F18							14	4			4			4							
Mod 27	6 1/2"	N5									15	4			4			4							
Mod 27	8 3/8"										35	5			5			5							
Mod 28 Highway Patrol	4"	N4									12	3		3	3			3							
Mod 28 Highway Patrol	6"	N5		F18							14	4			4			4							
Mod 29	4"	N4									12	3		3	3			3							
Mod 29	6 1/2"	N5	4	F20							15	4			4			4							
Mod 29	8 3/8"		5								35	5			5			5							
Mod 29 Classic	4"										76	3		3	3			3							
Mod 29 Classic	6 1/2"		4								77	4			4			4							
Mod 29 Classic	8 3/8"		5								78	5			5			5							
Mod 30 Hand Ejector	2"										6	1		1	1			1							
Mod 30 Hand Ejector	3"										17	1		1	1			1							
Mod 30 Hand Ejector	4"										17	3		3	3			3							
Mod 31 Reg Pol.	2"										6	1		1	1			1							
Mod 31 Reg Pol.	3"										17	1		1	1			1							
Mod 31 Reg Pol.	4"										17	3		3	3			3							
Mod 32	2"										6	1		1	1			1							
Mod 33 Reg Pol.	4"										17	3		3	3			3							
Mod 34 Kit Gun	2"										7	1		1	1			1							
Mod 34 Kit Gun	4"										8	3		3	3			3							
Mod 35 1953 Target	6"										9														
Mod 36 Chief Spec.	2"										6	1		1	1			1	23	23	23	23	23	23	
Mod 36 Chief Spec.	3"										17	1		1	1			1							
Mod 37 Chief Spec.	2"										6	1		1	1			1							
Mod 37 Chief Spec.	3"										17	1		1	1			1							
Mod 38 Bodyguard	2"										6	1		1	1			1							
Mod 43 Kit	4"										8	3		3	3			3							
Mod 48	4"										11	3		3	3			3							
Mod 48	6"			F16							10	4			4			4							
Mod 48	8 3/8"										27	5			5			5							
Mod 49	2"										6	1		1	1			1							
Mod 53	4"										11	3		3	3			3							
Mod 53	6"			F16							10	4			4			4							
Mod 53	8 3/8"										27	5			5			5							
Mod 57	4"	N4									12	3		3	3			3							
Mod 57	6"	N5		F18							14	4			4			4							
Mod 57	8 3/8"										35	5			5			5							
Mod 58	4"	N4									12	3		3	3			3							
Mod 60	2"										6	1		1	1			1	23	23	23	23	23	23	
Mod 63	2"										7														
Mod 63	4"										8														
Mod 64	2"										29	1		1	1			1							
Mod 64	4"										30	3		3	3			3							
Mod 65	4"										30	3		3	3			3							
Mod 66	2 1/2"										58	1		1	1			1							
Mod 66	4"										11	3		3	3			3							
Mod 66	6"			F16							10	4			4			4							
Mod 67	4"										11	3		3	3			3							
Mod 258	6 1/2"	N5		F20							15	4			4			4							
Mod 581	4"											3		3	3			3							
Mod 586	4"										66	3		3	3			3			24				
Mod 586	6"	N7		F20							41	4			4			4			25				
Mod 586	8 3/8"										73	5			5			5							

### STYLE NUMBERS

MANUFACTURER/MODEL	BARREL LENGTH	67-800	68-100 68-200	1060	1080	1081	1082	1085	1085H	1091	1100	1210	1285	1300	2200	2500	2800	4500	4800	4900	5000	5100	5200	5300	5700	
								1086	1091H 22 Cal	1092					2300											2400
Mod 617	4"										66	3		3				3								
Mod 617	6"										41	4			4			4								
Mod 624	4"	N4									12	3		3	3			3								
Mod 624	6 1/2"	N5		F20							15	4			4			4								
Mod 625	6 1/2"	N5		F20							15	4			4			4								
Mod 629	4"	N4									12	3		3	3			3			26					
Mod 629	6"	N5	4	F20							15	4			4			4			27					
Mod 629	8 3/8"		5								35	5			5			5								
Mod 629 Classic	4"										76	3		3	3			3								
Mod 629 Classic	6"										77	4			4			4								
Mod 629 Classic	8 3/8"										78	5			5			5								
Mod 640	2 1/8"											1		1	1			1	22	22	22	22	22	22	22	22
Mod 649	2"										6	1		1	1			1								
Mod 650	3"										17	1		1	1			1								
Mod 651	4"										8	3		3	3			3								
Mod 657	4"	N4									12	3		3	3			3								
Mod 657	6"	N5									14	4			4			4								
Mod 657	8 3/8"										35	5			5			5								
Mod 681	4"										12	3		3	3			3								
Mod 686	4"										66	3		3	3			3			24					
Mod 686	6"	N7	4	F20							41	4			4			4			25					
Mod 686	8 3/8"		5								73	5			5			5								
1917 Army	5 1/2"			F18							14															
Centennial	2"										6	1		1	1			1								
<b>SPRINGFIELD AUTOS</b>																										
1911-A1	5"										92	6	2	6	6			6								
P9	4 3/4"											6	2	6	6			6								
<b>TAURUS AUTOS</b>																										
PT22, PT25	2 3/4"											11		11	11	1		11								
PT92	5"										80	13	2	13	13											
PT99	5"											6	2	6	6			6								
PT945	4 1/4"											6	1	6	6			6								
<b>TAURUS REVOLVERS</b>																										
Raging Bull, Raging Hornet	6 1/2"										98															
Raging Bull	8 3/8"										79															
Raging Hornet	10"										79															
65,66,73,74,80,82,83,431,441,741,941	3"											1		1	1			1								
65,66,80,82,83,84,431,441,669,741,941	4"											3		3	3			3								
66,86,96,441,M44,689,761	6"											4			4			4								
Mod 605	2"										6	1		1	1			1								
Mod 445	2"										6	1		1	1			1								
<b>WALTHER AUTOS</b>																										
PP	3 3/4"											2	1	2	2			2								
PPK	3 3/4"											2	1	2	2			2	15	15	15	15	15	15	15	15
PPK/S	3 3/4"											2	1	2	2			2								
PP Super	3 3/4"											2	1	2	2			2								
P38 & P1	5"										5	6	2	6	6			6								
P38 IV	5"											6	2	6	6			6								
P5	4 1/2"											6		6	6			6								
P88 Compact	4"											13	2	13	13											
P99	4"											13	2	13	13											
<b>WESSON REVOLVERS</b>																										
8-2, 9-2, 14-2, 15-2, 22	3"											1		1	1			1								
8-2, 9-2, 14-2, 15-2, 22	4"											3		3	3			3								
8-2, 9-2, 14-2, 15-2, 22	6"											4			4			4								
8-2, 9-2, 14-2, 15-2, 22	8"										73	5			5			5								

\* In style #1095, size 40 will be substituted for size 41.